

VIKING

NEW ZEALAND MADE DUCTING



www.vikingltd.co.nz
sales@vikingltd.co.nz
09 835 4090




Straight Duct



Code	D	L	Code	L
D 100/1	100	1000	D 100/1.5	1500
D 120/1	120	1000	D 120/1.5	1500
D 150/1	150	1000	D 150/2	2000
D 180/1	180	1000	D 180/2	2000
D 200/1	200	1000	D 200/2	2000
D 250/1	250	1000	D 250/2	2000
D 300/1	300	1000	D 300/2	2000

Sizes up to D 600


Telescope Duct



Code	D	L	T
TEL 100	100	600	50-500
TEL 120	120	600	50-500
TEL 125	125	600	50-500
TEL 150	150	600	50-500
TEL 180	180	600	50-500
TEL 200	200	600	50-500
TEL 250	250	600	50-500
TEL 300	300	600	50-500
TEL 350	350	600	50-500

Press Bend


Available in 90°, 60°, 45° and 30°



Code 90°	Code 60°	Code 45°	Code 30°	D
PB 100/90	PB 100/60	PB 100/45	PB 100/30	100
PB 120/90	PB 120/60	PB 120/45	PB 120/30	120
PB 150/90	PB 150/60	PB 150/45	PB 150/30	150
PB 180/90	PB 180/60	PB 180/45	PB 180/30	180
PB 200/90	PB 200/60	PB 200/45	PB 200/30	200
PB 250/90	PB 250/60	PB 250/45	PB 250/30	250
PB 300/90	PB 300/60	PB 300/45	PB 300/30	300

Lobster Bend


Available in 90°, 60°, 45° and 30°



Code 90°	Code 60°	Code 45°	Code 30°	D
LB 350/90	LB 350/60	LB 350/45	LB 350/30	350
LB 400/90	LB 400/60	LB 400/45	LB 400/30	400
LB 450/90	LB 450/60	LB 450/45	LB 450/30	450
LB 500/90	LB 500/60	LB 500/45	LB 500/30	500
LB 550/90	LB 550/60	LB 550/45	LB 550/30	550
LB 600/90	LB 600/60	LB 600/45	LB 600/30	600

Products up to Ø300 are 0.75 mm thick, over Ø300 are 0.95 mm thick.
All products available in stainless steel. Custom sizes for all products available on request.

Trousers




Code	D	D1, D2
TP 100	100	As requested
TP 120	120	
TP 150	150	
TP 180	180	
TP 200	200	
TP 250	250	
TP 300	300	

Sizes up to D 600

Reducing Branch


All sizes for D1 and D2 available on request



Code	D	H	D1, D2
RB 100	100	300	As requested
RB 120	120	300	
RB 150	150	300	
RB 180	180	300	
RB 200	200	500	
RB 250	250	500	
RB 300	300	500	

Sizes up to D 600



Reducing Cone



Code	D	H	D1
RC 100	100	200	As requested
RC 120	120	200	
RC 125	125	200	
RC 150	150	200	
RC 180	180	200	
RC 200	200	300	
RC 250	250	300	
RC 300	300	300	

Sizes up to D 600


Duct Entry



Code	D	D1
DE 100	100	As requested
DE 120	120	
DE 150	150	
DE 180	180	
DE 200	200	
DE 250	250	
DE 300	300	

Sizes up to D 600

Square to Round



Code	L, W, D
SQ-RD	As requested

Products up to Ø300 are 0.75 mm thick, over Ø300 are 0.95 mm thick.
All products available in stainless steel. Custom sizes for all products available on request.



Damper

Pneumatic, Overhead and Butterfly damper available on request



Code	D
DAM 80	80
DAM 100	100
DAM 120	120
DAM 125	125
DAM 150	150
DAM 180	180
DAM 200	200
DAM 250	250
DAM 300	300

Spigot



Code	D
SPIG 80	80
SPIG 100	100
SPIG 120	120
SPIG 125	125
SPIG 150	150
SPIG 180	180
SPIG 200	200
SPIG 250	250
SPIG 300	300

Flexible Duct

Available in standard, medium and heavy
TPU or Urethane
Length up to 10m



Code	D
FLEX 85/M	80
FLEX 102/M	100
FLEX 120/M	120
FLEX 127/M	125
FLEX 152/M	150
FLEX 180/M	180
FLEX 203/M	200
FLEX 254/M	250
FLEX 305/M	300

Hose Clamp



Code	D
HC 80	80
HC 100	100
HC 120	120
HC 125	125
HC 150	150
HC 180	180
HC 200	200
HC 250	250
HC 300	300

Lock Ring



Code	D
LR 100	100
LR 120	120
LR 150	150
LR 180	180
LR 200	200
LR 250	250
LR 300	300

Sizes up to D 600

Quick Lock Ring



Code	D
QL 80	80
QL 100	100
QL 120	120
QL 125	125
QL 150	150
QL 180	180
QL 200	200
QL 250	250
QL 300	300

Sizes up to 600

Hanging Bracket



Code	D
HB 100	100
HB 120	120
HB 150	150
HB 180	180
HB 200	200
HB 250	250
HB 300	300

Sizes up to D 600

Legs



Code	H
LEG/S	75
LEG/L	100

Hanging Wire



Code	L
HW4	4m
HW10	10m

Products up to Ø300 are 0.75 mm thick, over Ø300 are 0.95 mm thick.
All products available in stainless steel. Custom sizes for all products available on request.